



Schedule deliveries during normal business hours

Watch for deliveries. UNLOXCYT is shipped in an insulated box with gel packs sufficient to keep its temperature at 2°C to 8°C (36°F–46°F) for at least 24 hours from the time it leaves the distributor.



Inspect and unpack

All deliveries should be unpacked immediately upon receipt and inspected for damage. If the outer box is crushed, smashed, and obviously damaged, contact your specialty distributor immediately. After inspection, product should be placed in your medication refrigerator and stored at 2°C to 8°C (36°F–46°F). Do not freeze or shake. Keep in original package to protect from light.



Inventory management

Rotate stock. It is a good idea to regularly check the expiration dates of medications stored in your refrigerator and rotate your inventory of each product so that product with the closest expiration date is used first.

Monitor your medication refrigerator. The unit should have a temperature monitoring device and an alarm.

Protect your inventory by preparing for power outages with a backup generator.

Storage of infusion solution: Store at room temperature up to 25°C (77°F) for no more than 24 hours from the time of preparation to the end of the infusion or at 2°C to 8°C (36°F–46°F) for no more than 24 hours from the time of preparation to the end of infusion. If refrigerated, allow the diluted solution to come to room temperature prior to administration. Discard after 24 hours. Do not freeze.¹

For more information

about product returns or to file a product complaint contact Sun Pharma Customer Service

Broken and Damaged Return Requests

1-800-818-4555, **Option 6**, Monday to Friday 8 AM to 6 PM ET

Defective Product Complaints

1-800-818-4555, **Option 4**

For more information or assistance, please call **UNLOXCYT SUPPORT** at **1-855-865-9994** or visit **UNLOXCYTPro.com/support**.

Reference: 1. UNLOXCYT (cosibelimab-ipdl). Prescribing information. Sun Pharmaceutical Industries, Inc; 2025.

